

INDEX MAPS.


T.19 N. R.8 E. 2nd Mer.

	412	412	412	411	411	411						
414	6	435	5	420	4	426	3	423	2	418	1	410
	436		435		430		426		422		418	
414	7	435	8	429	9	425	10	422	11	417	12	410
	434		434		429		425		421		417	
413	18	433	17	428	16	425	15	421	14	417	13	409
	433		433		428		424		421		416	
413	19	432	20	428	21	424	22	420	23	416	24	409
	432		432		428		424		420		416	
413	30	431	29	427	28	423	27	420	26	415	25	409
	431		431		427		423		419		415	
413	31	430	32	427	33	423	34	419	35	415	36	408
	408		408		407		407		407		407	

Meandering 436

T.20 N. R.8 E. 2nd Mer.

	450		449		449		449		449		448	
451	6	472	5	466	4	463	3	462	2	458	1	448
	471		471		466		462		458		458	
451	7	470	8	466	9	462	10	457	11	452	12	448
	470		470		465		461		457		454	
451	18	470	17	465	16	461	15	457	14	452	13	447
	469		469		465		461		456		453	
450	19	469	20	464	21	460	22	456	23	453	24	447
	468		468		464		460		456		453	
450	30	468	29	464	28	459	27	455	26	452	25	447
	467		467		463		459		455		452	
450	31	467	32	463	33	459	34	455	35	452	36	447
	446		446		446		445		445		445	

 The figures on the lines refer to the page.

445
Township 20 North, Range 8 East, 2nd Mer. Indiana

South Boundary.

Var. 6° 15' E.

West on S. Side of Sec. 36

25.25 a Buck 13 in. diam.

40.00 Set q. Sec. post from which

a Buck 14 in. diam. bears N 81° E 21 W. dist. 8

a Poplar 20 " " " 485 W 46 " "

61.23 a W. Oak 14 " "

80.00 Set post ca. to Secs. 35 & 36 from which

a Ash 15 in. diam. bears S 88° E 33 W. dist. 8

a Summ. 8 " " " N 77° W 15 " "

On level land. Buck. Oak. Ash, Spruce &

West on S. Side of Sec. 35

14.94 a W. Oak 16 in. diam.

30.00 a Brook & W. side corner S.

40.00 Set q. Sec. post from which

a Sugar 10 in. diam. bears S 75° E 64 W. dist. 8

a Do 14 " " " S 60° W 14 " "

53.43 a Buckeye 14 " "

80.00 Set post ca. to Secs. 34 & 35 from which

a Buck 10 in. diam. bears N 73° E 27 W. dist. 8

a Do 12 " " " S 42° W 20 " "

On good farming land. Syc. Buck
Ash. Sugar. Spruce &

West on S. Side of Sec. 34

30.74 a Walnut 30 in. diam.

40.00 Set q. Sec. post from which

a Hornbeam 6 in. diam. bears N 84° E 6 W. dist. 8

a Oak 16 " " " N 84° W 21 " "

62.74 a Buck 12 " "

80.00 Set post ca. to Secs. 33 & 34 from which

a Hickory 20 in. diam. bears N 81° E 20 W. dist. 8

a Buck 12 " " " S 62° E 31 " "

On level land. Buck. Hickory. Oak. Spruce &

W. D. N. - R. & E. T^{ms} Mr. Indiana

West on S. Side of Sec. 33.

40.00 Let q. Sec. post from which
a Dogwood 6 in. diam. bears S 65 E 12 W. dist. 8
a Beech 13 " " " S 73 W 11 " "

74.75 a Do 20 " "

80.00 Let post ca. to Sec. 32 & 33 from which
an Oak 8 in. diam. bears N 78 E 19 W. dist. 8
a Do 8 " " " S 83 W 23 " "

Land & Timber Same as on the last line -

West on S. Side of Sec. 32

40.00 Let q. Sec. post from which
a Cherry 8 in. diam. bears S 65 E 34 W. dist. 8
a Hickory 10 " " " N 42 W 5 " "

65.00 a Buckeye 10 " "

80.00 Let post ca. to Sec. 31 & 32 from which
an Ironwood 5 in. diam. bears S 53 E 10 W. dist. 8
a Sugar 20 " " " N 60 W 5 " "
On good farming land. Timber Beech,
Ash, Sugar, Spruce &

West on S. Side of Sec. 31

40.00 Let q. Sec. post from which
an Ironwood 8 in. diam. bears N 7 E 6 W. dist. 8
a Beech 44 " " " S 79 W 33 " "

61.75 an Oak 36 " "

70.00 a Creek 100 W. side Corner S. W.

87.00 Let post ca. to Townships 19 & 20 North. Ranges
1 & 8 East, 2.68 North of Temp. post on
Range line, from which

a Beech 14 in. diam. bears N 37 E 22 W. dist. 8
a Hornbeam 6 " " " S 2 W 15 " "

Land & Timber Same as on the last line -

November 22nd 1819 -

East Boundary. Var. 6° 15' E.

447

N. D. N. - W. & E. 2nd Mer. Indiana.

North on E. Side of Sec. 36-

35.63 a W. Oak 14 in. diam.

40.00 Set g. Sec. post from which
a Beech 12 in. diam. bears S 7 E 42 W. dist. 9
an Oak 4 " " " N 11 W 31 " "

62.75 a Beech 20 " "

80.00 Set Post cu. to Secs. 25 & 36 from which
an Ironwood 8 in. diam. bears S 12 E 29 W. dist. 9
a Dogwood 6 " " " N 20 E 4 " "
on lowland. Timber Beech, Oak,
Hickory, sugar Maple, Prunes &c.

North on E. Side of Sec. 25

24.06 a W. Oak 18 in. diam.

40.00 Set g. Sec. post from which
a Cassia 7 in. diam. bears S 41 W 11 W. dist. 8
an Oak 36 " " " N 6 E 25 " "

61.90 a Beech 14 " "

80.00 Set Post cu. to Secs. 24 & 25 from which
80. a Hickory 13 in. diam. bears S 44 E 31 W. dist. 8
a Beech 20 " " " N 0 W 14 " "
Land & Timber same as on the last line.

North on E. Side of Sec. 24

31.74 an Oak 14 in. diam. ~~near~~

40.00 Set g. Sec. post from which
an Oak 36 in. diam. bears S 21 W 40 W. dist. 8
a Beech 10 " " " N 9 W 22 " "

50.96 a W. Oak 14 " "

80.00 Set Post cu. to Secs. 13 & 24 from which
a Maple 12 in. diam. bears S 28 E 32 W. dist. 8
a Do 10 " " " N 44 W 13 " "
on lowland. Maple, Hickory, Oak, Beech &c.

North on E. Side of Sec. 13-

4.60 an Oak 22 in. diam.

W. D. N. - W. & E. 2nd Mer. Indiana.

- 40.00 Set q. Sec. post from which
an Oak 8 in. diam. bears S 57 E 17 W. dist. 8
a Hickory 14 " " " N 32 W 22 " "
- 66.00 an Ash 15 " "
- 80.00 Set post con. to Sect. 12 & 13 from which
an 12 in. diam. bears S 5 W 28 W. dist. 14
a Birch 12 " " " N 40 E 18 " "
On lent land. Timber Birch. Ash. Oak &c

North on E. Side of Sec. 12

- 34.00 a Lycam 14 in. diam.
- 40.00 Set q. Sec. post from which
a Birch 10 in. diam. bears S 31 E 19 W. dist. 8
a Do 8 " " " N 77 W 24 " "
- 66.00 a W. Oak 16 " "
- 77.00 a Brook 5 W. wide Corn. N.W.
- 80.00 Set post con. to Sect. 12 & 13 from which
a Birch 8 in. diam. bears S 19 E 3 W. dist. 8
a Do 10 " " " N 11 E 27 " "
Land & Timber same as on the last line.

North on E. Side of Sec. 1

- 18.86 a Birch 18 in. diam.
- 40.00 Set q. Sec. post from which
a Birch 14 in. diam. bears N 88 E 25 W. dist. 8
an Elm 13 " " " S 83 W 14 " "
- 55.50 a Creek 30 W. wide Corn. N.W.
- 65.00 To Township Corner.
Land & Timber same as on the last line -
November 21st 1819 -

North Boundary

West on E. Side of Sec 36 T. 1 N. - R. 8 E.

- 40.00 Set q. Sec. post from which
a Cherry 10 in. diam. bears N 5 E 10 W. dist. 8

Ms. 20 N. - R. 8 E. 2nd Mer. Indiana. 449

80.00	<p>a Willow 10 in. diam. bears S 9 E 21 W. dist.</p> <p>Let post cu. to Sec. 35 & 36 from which</p> <p>a Birch 20 in. diam. bears N 57 W 13 W. dist. &</p> <p>a Do 24 " " " 45 E 36 " "</p>
West on E. Side of Sec. 35 T. 21 N. - R. 8 E.	
40.00	<p>Let q. Sec. post from which</p> <p>an Oak 12 in. diam. bears N 35 E 20 W. dist. &</p> <p>a Birch 12 " " " S 52 E 18 " "</p>
80.00	<p>Let post cu. to Sec. 34 & 35 from which</p> <p>a Birch 10 in. diam. bears N 40 W 7 W. dist. &</p> <p>a Do 9 " " " N 61 E 11 " "</p>
West on E. Side of Sec. 34 T. 21 N. - R. 8 E.	
40.00	<p>Let q. Sec. post from which</p> <p>an Ironwood 6 in. diam. bears S 5 E 25 W. dist. &</p> <p>a Birch 16 " " " S 62 W 28 " "</p>
80.00	<p>Let post cu. to Sec. 33 & 34 from which</p> <p>a Birch 24 in. diam. bears N 78 E 24 W. dist. &</p> <p>a Birch 12 " " " S 63 W 20 " "</p>
West on E. Side of Sec. 33 T. 21 N. - R. 8 E.	
40.00	<p>Let q. Sec. post from which</p> <p>a Birch 12 in. diam. bears East 12 W. dist. &</p> <p>a Do 16 " " " West 11 " "</p>
80.00	<p>Let post cu. to Sec. 32 & 33 from which</p> <p>a Birch 9 in. diam. bears N 10 E 6 W. dist. &</p> <p>a Do 5 " " " S 19 W 5 " "</p>
West on E. Side of Sec. 32 T. 21 N. - R. 8 E.	
40.00	<p>Let q. Sec. post from which</p> <p>a Hickory 10 in. diam. bears S 71 W 6 W. dist. &</p> <p>a Birch 12 " " " S 81 E 24 " "</p>
80.00	<p>Let post cu. to Sec. 31 & 32 from which</p> <p>a Birch 12 in. diam. bears N 34 W 30 W. dist. &</p> <p>a Do 14 " " " S 31 E 30 " "</p>

W. D. N. - T. R. 8 E. 2nd Mer. Indiana

West on E. Side of Sec. 31 T. 21 N. - R. 8 E.
 40.00 Set q. Sec. post from which
 an Oak 18 in. diam. bears S 38 E 93 in. dist. &
 an Elm 10 " " " N 3 E 48 " "
 83.18 Enter next Range line 14.75 S. of Temp. Post -
 when set Post Cu. to Towns 20 & 21 North,
 Range 7 & 8 East - from which
 a Beech 10 in. diam. bears N 76 E 10 in. dist. &
 a Sugar 18 " " " N 35 W 26 " "
 Description of Land & Timber in this and
 the Preceding five miles, omitted. -

West Boundary.

Var. 6th 00' E.
 North on E. Side of Sec. 36 T. 20 N. - R. 7 E -
 12.25 an Oak 24 in. diam.
 40.00 Set q. Sec. post from which
 a Beech 8 in. diam. bears S 31 W 35 in. dist. &
 an Ironwood 6 " " " N 61 W 4 " "
 56.03 Set post cu. to Sec. 25 & 36 from which
 a Hickory 14 in. diam. bears S 32 E 36 in. dist. &
 a Ash 12 " " " N 30 W 17 " "
 On level land. Beech Oak. Hickory. Spruce &

North on E. Side of Sec. 25 T. 20 N. - R. 7 E -
 40.00 Set q. Sec. Post from which
 a Hornbeam 7 in. diam. bears S 77 E 13 in. dist. &
 an Elm 10 " " " S 81 W 16 " "
 55.82 a Poplar 13 " "
 80.00 Set Post Cu. to Sec. 24 & 25 from which
 an Ash 18 in. diam. bears S 45 W 8 in. dist. &
 a Poplar 16 " " " N 23 E 38 " "
 On level wet land. Timber as before

North on E. Side of Sec. 24 T. 20 N. - R. 7 E -
 3.12 a Beech 15 in. diam.

457

T. 20 N. - R. 8 E. 2nd Mer. Indiana.

40.00 Let g. Sec. post from which
 a Beech 22 in. diam. bears S 57 W 14 W. dist. 8
 a Do 7 " " " N 2 E 11 " "
 64.25 a Do 14 " "
 80.00 Let post cu. to Secs 13 & 24 from which
 a Beech 20 in. diam. bears S 34 W 28 W. dist. 8
 a Do 8 " " " N 69 E 6 " "
 On level dry land. Beech. Sugar. ash. Spruce.

North on E. Side of Sec. 13 T. 20 N. - R. 7 E.
 5.25 a Beech 10 in. diam. 1
 30.00 a Brook 6 in. wide corner E.
 40.00 Let g. Sec. post from which
 a Beech 14 in. diam. bears S 53 W 11 W. dist. 8
 a Do 15 " " " N 3 E 38 " "
 68.40 an Elm 36 " "
 80.00 Let post cu. to Secs 12 & 13 from which
 a Beech 10 in. diam. bears S 40 W 17 W. dist. 8
 a Do 14 " " " N 58 E 20 " "
 Sand & Timber same as on the last line -
 November 22nd 1819 -

North on E. Side of Sec. 12 T. 20 N. - R. 7 E.
 40.00 Let g. Sec. post from which
 an Elm 12 in. diam. bears S 42 W 15 W. dist. 8
 a Beech 8 " " " N 38 E 30 " "
 61.35 a Sugar 12 " "
 80.00 Let post cu. to Secs 1 & 12 from which
 an Ash 10 in. diam. bears S 49 E 19 W. dist. 8
 a Beech 13 " " " S 57 W 7 " "
 Sand & Timber same as on the last line -

North on E. Side of Sec. 1 T. 20 N. - R. 7 E.
 40.00 Let g. Sec. post from which
 an Oak 40 in. diam. bears S 54 W 5 W. dist. 8
 an Ash 36 " " " S 42 E 14 " "

ms 20 N. W. C. & E. 9th Mer. Indiana

66.95 an Ash 15 in. diam.

80.00 Let temp. Town corner -

Land & Timber same as on the last line -

Approved in 1819 by

John & James W. M. Donald

Dep. Surveyors

Subdivision.

North Return Sec. 35 & 36

20.10 an Oak 30 in. diam.

35.00 Cut a Swamp

40.00 Let gp. Sec. post from which

a W. Oak 5 in. diam. bears N 86 W 38 M. dist. 4

a Do 4 " " " S 22 E 44 " "

42.00 Lean the Swamp

38.75 a Birch 12 in. diam.

80.00 Let post cut to Sec. 25. 26. 35 & 36 from which

a Hickory 15 in. diam. bears S 82 E 22 M. dist. 4

a Birch 10 " " " N 82 W 26 " "

Land lend 2nd rate, Birch, Oak, Spruce, Pines &c

East an Random Return Sec. 25 & 36 -

40.00 Let temp. gp. Sec. post.

79.41 External E. Bound. line 138 M. N. of post.

Land lend 2nd rate, Birch, W & B. Oak, Spruce &c

West corner of Return Sec. 25 & 36 -

39.70 Let gp. Sec. post at an age dist. from which

an Ash 5 in. diam. bears N 56 W 10 M. dist. 9

a Birch 12 " " " S 3 E 18 " "

79.41 To Sec. Corner

May 22nd 1821 -

North Return Sec. 25 & 36 -

9.56 a Poplar 10 in. diam.

40.00 Let gp. Sec. post from which

453

Prof. Dr. N. R. & E. Dr. Mu. Indiana.

a Hickory 15 in. diam. bears N41 W 4 W. dist. 4
 a W. Oak 18 " " " S - 20 " "
 56.02 a Do 20 " "
 80.00 Set post ea. to Secs. 23, 24, 25 & 26 from which
 an Elm 15 in. diam. bears N40 E 24 W. dist. 4
 a Do 20 " " " S 75 W 10 " "
 Sand level 3rd rate. Elm. Oak. Spruce. P. Ash &c

East on Random between Secs. 24 & 25 -

40.00 Set temp. g. Sec. post.
 79.15 Internal C. Bound. line 220 W. S. of post.
 Sand level 3rd rate. Beech. Oak. Spruce &c

West corner between Secs. 24 & 25

39.57 Set g. Sec. post at average dist. from which
 an Ash 3 in. diam. bears S 78 E 15 W. dist. 4
 an Elm 10 " " " S 58 W 9 " "
 79.15 To Sec. Corner.

North between Secs. 23 & 24 -

30.94 a Hickory 10 in. diam.
 40.00 Set g. Sec. post from which
 a Hickory 40 in. diam. bears N32 E 42 W. dist. 4
 a Beech 24 " " " S 8 W 27 " "
 57.71 an Ash 10 " "
 80.00 Set post ea. to Secs. 13, 14, 23 & 24 from which
 an Ash 10 in. diam. bears N45 W 27 W. dist. 4
 a Beech 10 " " " S 20 E 23 " "
 Sand level 2nd rate. Ash. Beech. Hickory. Oak. Spruce &c

East on Random between Secs. 13 & 24 -

40.00 Set temp. g. Sec. post.
 78.78 Internal C. Bound. line 346 W. S. of post.
 Sand level 3rd rate. Elm. Oak. Beech. P. Ash &c

West corner between Secs. 13 & 24 -

W.D.N. - W. & E. 2nd Mer. Indiana.

39.39 Set q. Sec. post at amag dist. from which
 a Beech 5 in. diam. has N 28 E 16 W dist.
 a Hickory 12 " " " N 63 W 23 " "
 78.78 To Sec. Corner.

North Return Secs. 13 & 14 -

16.83 a Beech 10 in. diam.
 40.00 Set q. Sec. post from which
 a Beech 8 in. diam. has N 50 E 11 W dist.
 a Do 7 " " " N 89 W 27 " "
 a Pond 2 chains wide
 60.20 a W. Oak 30 in. diam.
 80.00 Set post onto Secs. 11, 12, 13 & 14 from which
 a Beech 7 in. diam. has N 53 E 14 W dist.
 a Do 6 " " " N 35 W 3 " "
 Land lent 2nd rate. Ash, Beech, Spruce &

East on Random Return Secs. 12 & 13 -

40.00 Set temp. q. Sec. post.
 79.20 Internal E Bound. line 530 Wt. N. of post.
 Land lent 3rd rate. Beech, Oak, Spruce &

West Corner Return Secs. 12 & 13 -

39.60 Set q. Sec. post at amag dist. from which
 a Water Beech 6 in. diam. has N 16 W 17 W dist.
 an Ash " " " N 33 E 4 " "
 79.20 To Sec. Corner.

North Return Secs. 11 & 12

7.65 a Stream 8 Wt. wide corner W.
 35.05 a Beech 30 in. diam.
 40.00 Set q. Sec. post from which
 a Beech 20 in. diam. has N 11 W 35 W dist.
 a Do 20 " " " N 45 E 11 " "
 54.50 a Stream 4 Wt. wide corner W.
 55.05 a Beech 15 in. diam.

455

W. D. N. - W. & E. 2nd Mer. Indiana.

74.60 a Buck 50 W. & E. 2nd Mer. Indiana.
 80.00 Let post ca. to Sect. 12, 11 & 12 from which
 a Buck 12 in. diam. has 119 E 15 W. dist. 9
 a Do 18 " " " 141 E 9 " "
 Land rolling 2nd rate. Ash. Buck. Sugar. Oak.
 emp. Spruce & May 23rd 1821

North Return Sect. 34 & 35

26.50 a Buck 12 in. diam.
 40.00 Let gr. Lee. post from which
 a Swamp Ash 11 in. diam. has 95 E 3 W. dist. 9
 a Buck 10 " " " 79 W 23 " "
 62.18 an Elm 30 " "
 80.00 Let post ca. to Sect. 26, 27, 34 & 35 from which
 an Elm 24 in. diam. has 118 E 36 W. dist. 9
 a Do " " " 13 E 12 " "
 Land level 3rd rate. Elm. Buck. Spruce &

East or Random Return Sect. 26 & 35 -

40.00 Let temp. gr. Lee. post -
 77.67 Put in 69 W. N. of post -
 Land level 2nd rate. Ash. Buck. Spruce &

West or Random Return Sect. 26 & 35 -

38.83 Let gr. Lee. post or survey dir. from which
 an Ash 15 in. diam. has 91 W 25 W. dist. 9
 a Maple 5 " " " 135 E 22 " "
 77.67 To Lee. corner.

North Return Sect. 26 & 27 -

19.06 a Hickory 24 in. diam.
 40.00 Let gr. Lee. post from which
 a Sugar 5 in. diam. has 118 W 16 W. dist. 9
 a Buck 4 " " " 95 E 25 " "
 57.75 a Do 12 " "
 80.00 Let post ca. to Sect. 22, 23, 26 & 27 from which -

July 20 N. W. 8 E. 9th Mo. Indiana

an Ash 10 in. diam. near N 50 E 15 W. dist. of
 a Buck 8 " " " N 68 W 3 " "
 Sand lent 2nd rate. Buck. Ash. Spruce &c.

East on Random Return Secs. 23 & 26 -

40.00 Let temp. q. Sec. post -

77.34 Enter on N. line 52 W. N. of post -

Sand lent 2nd rate. Ash. Buck. Sugar Spruce &c.

West corner Return Secs. 23 & 26 -

38.67 Let q. Sec. post at same dist. from which
 a Hickory 6 in. diam. near N 87 W 60 E. dist. of
 a B. Oak 20 " " " N 88 E 27 " "

77.34 To Sec. Corner.

North Return Secs. 22 & 23 -

6.50 an Ash 20 in. diam. & a Stream 10 W.
 wide corner N.E.

35.40 a Stream 12 W. wide corner W.

36.30 a Do 12 " " " S.E.

38.25 a Do 12 " " " W.

40.00 Let q. Sec. post from which

a Buck 6 in. diam. near N 67 W 38 W. dist. of

a Poplar 18 " " " S 8 E 32 " "

60.31 a Buck 15 " "

80.00 Let post co. to Secs. 14, 15, 22 & 23 from which
 a Buck 8 in. diam. near S 54 E 4 W. dist. of

a Do 7 " " " N 56 W 24 " "

Sand rolling 2nd rate. Ash. Oak. Buck. Spruce &c.

East on Random Return Secs. 14 & 23 -

40.00 Let temp. q. Sec. post.

77.20 Enter on N. line 106 W. N. of post -

Sand lent 2nd rate. Ash. Buck. Oak. Spruce &c.

May 24th 1821 -

457

T. D. N. - R. & E. 2nd Mer. Indiana

West Corner Return Sect. 14 & 23 -

38.60 Set gp. Sec. post at average dist. from which
a Locust 12 in. diam. bears N 34 E 25 W. dist. of
an Ash 7 " " " N 11 W 24 " "

77.20 To Sec. Corner.

North Return Sect. 14 & 15

15.90 a Stream 8 W. side Corner N.

17.85 a Sugar 30 in. diam.

40.00 Set gp. Sec. post from which
a Beech 10 in. diam. bears N 84 W 17 W. dist. of
a Sugar 20 " " " S 42 E 16 " "

63.85 a Do 20 " "

74.40 a Creek 50 W. side Corner S. W.

80.00 Set post ea. to Sect. 10, 11, 14 & 15 from which
an Ash 24 in. diam. bears S 61 E 21 W. dist. of
a Plum 10 " " " N 57 W 43 " "

Land rolling 2nd rate. Ash. Beech. Sugar Oak. Spruce.

East or Random Return Sect. 11 & 14 -

1.25 a Creek 50 W. side Corner S.

40.00 Set temp. gp. Sec. post.

53.00 a Branch 7 W. side Corner N. W.

66.00 a Do 7 " " " S. W.

69.10 a Do 5 " " " N.

77.36 Intersect Md. line 58 W. N. of post.
Land level 2nd rate.

West Corner Return Sect. 11 & 14

38.68 Set gp. Sec. post at average dist. from which
a Hickory 10 in. diam. bears S 20 W 35 W. dist. of
an Ash 3 " " " N 5 E 16 " "

79.36 To Sec. Corner.

North Return Sect. 10 & 11 -

26.04 a Beech 20 in. diam.

W. 20 N. - R. 8 E. T². Mer. Indiana

40.00 Let gp. Sec. post from which
 a Beech 5 in. diam. bears N 42 W 22 W. dist. 9
 an Ironwood 4 " " " S 15 E 12 " "
 55.32 a Beech 15 " "
 80.00 Let post cor. to Sect. 2, 3, 10 & 11 from which
 a Beech 6 in. diam. bears S 35 E 20 W. dist. 9
 an Ash 4 " " " N 38 W 5 " "
 Sand rolling 2nd rate. Ash. Beech. Sugar. Oak. Spruce

East on Random between Sect. 2 & 11 -

40.00 Let temp. gp. Sec. post -

76.84 Intersect M.S. line 193 W. N. of post -

Sand rolling 2nd rate. Ash. Beech. Sugar. Spruce &

West corner between Sect. 2 & 11

38.42 Let gp. Sec. post at average dist. from which

a Beech 24 in. diam. bears S 28 - 36 W. dist. 9

an Ironwood 5 " " " N 2 W 9 " "

76.84 To Sec. corner.

East on Random between Sect. 14 & 12 -

7.80 a Creek 50 W. side corner S. W.

34.00 a Branch 4 " " " N.

40.00 Let temp. gp. Sec. post

72.90 a Stream 4 W. side corner N. W.

78.90 Intersect E. Bound. line 625 W. N. of post -

Sand rolling 2nd rate. Ash. Beech. Oak. Spruce &

West corner between Sect. 14 & 12

39.45 Let gp. Sec. post at average dist. from which

a Beech 6 in. diam. bears N 24 W 34 W. dist. 9

a Do. 6 " " " S 35 E 8 " "

78.90 To Sec. corner.

North between Sect. 14 & 12

24.00 a Beech 18 in. de. from.

459

W.D.N. - R. & E. 2nd Me. Indiana.

40.00 Set gp. Sec. post from which
 a Buckeye 4 in. diam. Vans N4 E 24 W. dist. 8
 a Beech 30 " " " S 14 E 34 " "

53.08 a Do 15 " "

56.66 Enter at Bound. line 36 W. E. of post -
 where set post on. to Sect. 142 from which
 a Beech 18 in. diam. Vans N 84 - 21 W. dist. 9
 a Water Do 3 " " " S 69 W 17 " "
 Sand lent 2nd rate. Ash. Beech. Spice 8 -
 May 25th 1821 -

North Return Sect. 33 & 34 -

20.00 a Beech 20 in. diam.

40.00 Set gp. Sec. post from which
 a Sugar 24 in. diam. Vans N 35 W 35 W. dist. 8
 a R. Oak 24 " " " S 45 E 24 " "

64.95 a W. Oak 12 " "

80.00 Set post on. to Sect. 27, 28, 33 & 34 from which
 a Beech 20 in. diam. Vans S 15 E 24 W. dist. 8
 a Do 15 " " " N 38 W 47 " "
 Sand lent 2nd rate. Beech. Oak. Ash. Poplar. Spice 8

East on Random Return Sect. 27 & 34 -

40.00 Set temp. gp. Sec. post

79.50 Enter at M. line 17 W. S. of post
 Sand lent 2nd rate. Beech. Oak. Ash. Spice 8

West Corner Return Sect. 27 & 34 -

39.75 Set gp. Sec. post at amag. div. from which
 an Ash 6 in. diam. Vans S 71 W 21 W. dist. 8
 a Do 5 " " " N 72 E 6 " "

79.50 To Sec. Corner.

North Return Sect. 27 & 28 -

35.75 an Ironwood 4 in. diam.

40.00 Set gp. Sec. post from which

a Buck 18 in. diam. Has N 64 W 14 W. dist. 9
 an Oak 40 " " " 75 E 16 " "
 64.60 a Stream 7 W. in. in. Corn. S. W.
 70.00 a N. Walnut 24 in. diam.
 75.33 a Buck 50 W. in. in. Corn. S. W.
 80.00 Let post cut to Sec. 21. 22. 27 & 28 from which
 a Cherry 6 in. diam. Has N 64 E 8 W. dist. 9
 a N. Oak " " " West 27 " "
 Sand rolling 2nd rate. Beech. Ash. Sugar. Spruce &

East in Random bottom Sec. 22 & 27 -
 1.75 a Buck 50 W. in. in. Corn. S. W.
 2.25 Enter a Swamp
 17.00 Learn the Do
 40.00 Let temp. g. Sec. post.
 78.70 a Stream 6 W. in. in. Corn. S.
 79.70 Enter a N. line 124 W. S. of post.
 Sand rolling 2nd rate. Oak. Ash. Beech. Spruce,
 Sugar & May 26th 1821 -

West corner bottom Sec. 22 & 27.
 39.85 Let g. Sec. post at a mag. div. from which
 a N. Oak 30 in. diam. Has N 75 E 27 W. dist.
 a Buck 12 " " " 1 E 31 " "
 79.70 To Sec. Corner.

North Bottom Sec. 21 & 22
 19.19 a Buck 15 in. diam.
 40.00 Let g. Sec. post from which
 a Buck 20 in. diam. Has N 44 W 28 W. dist.
 a Hickory 12 " " " N 31 E 48 " "
 62.00 Enter a Willow Swamp
 71.50 Learn the Do Do
 75.80 an Elm 10 in. diam.
 80.00 Let post cut to Sec. 15. 16. 21 & 22 from which
 a N. Oak 6 in. diam. Has N 8 E 38 W. dist. 9

See Completion - Page 461 this Volume

461

J. D. N. W. & Co. 2nd Mer. Indiana.

Ch. Lk.

a Beech 15 in. diam. bears S 37 W 37 W. dist.
Sand colling 2nd rate. Beech. Oak. Ash. Sugar &

East on Random between Sect. 15 & 22

8.00 Enter a Willow Swamp
15.00 Leave the Do Do
40.00 Set temp. g. Lee. post.
42.39 a Cuck 60 W. wide corner S.
44.50 Enter a Swamp
50.50 Leave the Do
70.00 a Branch 4 W. wide corner N.
80.39 Entered N. line 173 W. S. of post.
Sand colling 2nd rate. Beech. Sugar. Oak. Spice &

West Corner between Sect. 15 & 22 -

40.19 Set g. Lee. post at an angle dist. from which
a Water Beech 6 in. diam. bears N 32 W 37 W. dist.
a Do 7 " " " S 37 W 17 " "
80.39 To Lee. corner.

North Return Sect. 15 & 16 -

13.55 a Beech 10 in. diam.
40.00 Set g. Lee. post from which
a Beech 7 in. diam. bears N 28 E 45 W. dist.
a Sugar 8 " " " S 17 W 50 " "
62.25 a Do 18 " "
80.00 Set post en. to Sect. 9, 10, 15 & 16 from which
an Ironwood 5 in. diam. bears North 10 W. dist.
a Beech 11 " " " S 32 E 16 " "
Sand lent 2nd rate. Oak. Beech. Sugar. Spice &

East on Random between Sect. 10 & 15 -

40.00 Set g. Lee. post (temp.)
80.10 Entered N. line 146 W. S. of post.
Sand lent 2nd rate. Beech. Sugar. Oak. Spice &

T. D. N. - W. & E. 9th Mo. Indiana.

West Corner of Section Sec. 10 & 15
 40.05 Set gr. Sec. post at average dist. from which
 an Ironwood 6 in. diam. bears N 40 W 28 W. dist. 9
 a Beech 12 " " " S 13 E 12 " "
 80.10 To Sec. Corner.

North Section Sec. 9 & 10
 15.20 a Swamp ash 12 in. diam.
 40.00 Set gr. Sec. post from which
 a Beech 10 in. diam. bears N 61 W 10 W. dist. 9
 a Do " " " S 15 E 27 " "
 64.81 an Ash 10 " "
 80.00 Set post cor. to Sec. 3, 4, 9 & 10 from which
 a Beech 7 in. diam. bears N 37 E 35 W. dist. 9
 a Do 5 " " " S 48 W 18 " "
 Sand lent 3rd rate. Beech Oak. Swamp ash.
 Spec. P. Ash & May 28th 1821.

East of Random Section Sec. 3 & 10.
 40.00 Set temp. gr. Sec. post
 79.86 Entered M. line 130 W. E. of post.
 Sand lent 3rd rate. Elm, Beech, Oak. P. Ash &

West Corner of Section Sec. 3 & 10
 39.93 Set gr. Sec. post at average dist. from which
 an Elm 12 in. diam. bears N 64 W 6 W. dist. 9
 a Do 10 " " " S 50 E 22 " "
 79.86 To Sec. Corner.

North Section Sec. 2 & 3.
 13.20 a Beech 30 in. diam.
 40.00 Set gr. Sec. post from which
 an Ash 30 in. diam. bears N 72 E 6 W. dist. 9
 a Beech 8 " " " S 19 W 26 " "
 47.36 a Do 18 " "
 34.60 Entered M. Bound. line 256 W. E. of post.

When set post cut to Sect. 2 & 3 from which
an ash 5 in. diam. bears N 32 E 16 lat. dir. g
a No 6 " " " S 19 E 19 " "
Sand lent 2nd rate. Ash. Birch. Oak. Spruce. P. Ash &c.

North Return Sec. 3 & 4.

17.20 at Buch 15 in. diam.

40.00 Let gr. Lec. post from which
a Recd 7 in. diam. brass N 53 W 5 th. dist. 8
a Do 6 " " " N 65 W 10 " 10

48.50 am Blue 16 " "

57.00 Sturgeon N. Bound line 100 W. E. of post-
when set post cut to Sec. 344 Frankfort
an Ash 11 in. diam. bears No 71 38 W. disty
a Sugar 10 " " " East 9 " "
Sawd lent 2" water Ash. Sugar. Beech. Elm.
P. Ash. Spice & May 29th 1821-

North Petition Sec. 32 & 33

33.90 on ash 33 in diam.

40.00 Let gr. Sec. Post from which
a Buck 10 in. diam. bears VHS E 4 Mt. dist. }
a Do 20 " " " VHS M 11 " "

80.00 Let Post cr. to Doc^s. 28.29.32 & 33 from which
a Birch 12 in. diam. was 11 61 W 28 W. dist. 9
a W. Oak 10 " " " 11 9 E 3 " "
Vand. lower 2nd rate. Birch, Ash. Sugar. Spruce &

East and Randam Return Dec. 28 & 33.

3.20 a Spring branch Corv. N.Y.

31.50 at Pook 6 W. sides - N.

40.00 Let temp. gr. Lee. post-

29.10 Putnam Rd. line 19 W. N. of Post-

Land rolling 2nd rate. Similar & undergrowth
same as on the last line -

20 N. - P. 8 E. 3rd Mer. Indiana

West Corner between Sect. 28 & 33

39.55 Let q. Sec. post at amago dist. from which
a Buck 14 in. diam. bears N 39 W 6 W. dir. 9

a Do 9 " " " 462 E 7 " "

79.10 To Sec. Corner

North Return Sect. 28 & 29 -

3.00 at Branch corner W.

4.40 Buck Creek 60 W. ends corner S. W.

11.35 a W. Oak 22 in. diam.

40.00 Let q. Sec. post from which

a Buck 16 in. diam. bears S 55 E 21 W. dir. 9

a Do 6 " " " N 45 W 9 " "

53.45 a Sugar 24 " "

80.00 Let post cu. to Sect. 20, 21, 28 & 29 from which
a Sugar 18 in. diam. bears S 13 E 24 W. dir. 9

a Buck 12 " " " N 27 E 18 " "

Land lent 1st rate, Buck, Ash, Sugar, Spruce &c.

East in Random between Sect. 21 & 28 -

40.00 Let temp. q. Sec. post -

45.50 Enter a Prairie.

51.00 Leave the Dr

79.76 Enter on Mt. line 28 W. S. of post.

Land lent 3rd rate. Timber & ungth. Same as before.

West Corner between Sect. 21 & 28 -

39.63 Let q. Sec. post at amago dist. from which
a W. Oak 60 in. diam. bears S 71 W 26 W. dir. 9

a Hawthorn 5 " " " East 15 " "

79.26 To Sec. Corner,

North Return Sect. 20 & 21 -

40.00 Let q. Sec. post from which

a Buck 12 in. diam. bears S 57 E 20 W. dir. 9

a Do 14 " " " S 15 W 28 " "

465

W 20 N. - R. 8 E. 2nd Mer. Indiana.

47.60 a Beech 12 in. diam.
 80.00 Set Post Co. to Sect. 16. 17. 20 & 21 fr. which
 a Maple 14 in. diam. bears N 84 W 50 W dist. 9
 a Do 6 " " " S 29 E 9 " "
 Sand lent 2nd rate. Beech. Ash. Sugar. Spice &

East on Random between Sect. 16 & 21.

40.00 Set temp. q. Sec. post.
 78.84 Enter at N. line 25 W. E. of post.
 Sand lent 3rd rate. Timber & red g. Same as before.

West corner between Sect. 16 & 21

39.42 Set q. Sec. post at amag dist. from which
 a Sugar 18 in. diam. bears S 85 E 9 W dist. 8
 a Beech 10 " " " S 36 W 14 " "
 78.84 To Sec. Corner.

North between Sect. 16 & 17 -

1.75 an Elm 48 in. diam.
 40.00 Set q. Sec. post from which
 a Beech 20 in. diam. bears S 70 W 30 W dist. 9
 a Do 6 " " " N 75 E 29 " "
 65.00 a R. Oak 40 " "
 80.00 Set post co. to Sect. 8. 9. 16 & 17 from which
 a Beech 18 in. diam. bears S 4 W 24 W dist. 9
 a Do 16 " " " N 73 W 13 " "
 Sand & Timber Same as on the last line -
 October 26th. 1821 -

East on Random between Sect. 9 & 16 -

40.00 Set temp. q. Sec. post.
 79.35 Enter at N. line 95 W. E. of post.
 Sand lent 3rd rate. Beech. Ash. Elm. Spice. Peach &

West corner between Sect. 9 & 16 -

39.67 Set q. Sec. post at amag dist. from which -

Inf 20 N. W. & E. 9th Ma. Indiana.

an Ash 20 in. diam. bears N 20 W 19 W. dist. 9
 a N. Oak 22 " " " S 14 W 13 " "
 79.35 To Lee. Corner.

North Return Loc. 8 & 9-

7.50 an Elm 22 in. diam.
 40.00 Set g. Lee. post from which
 a Birch 10 in. diam. bears S 37 E 35 W. dist. 9
 a Do 11 " " " N 66 W 6 " "
 72.53 a Do 8 " "
 80.00 Set post cu. to Loc. 4, 5, 8 & 9 from which
 a Birch 16 in. diam. bears S 7 W 18 W. dist. 9
 a Do 10 " " " N 24 W 25 " "
 Sand lent 3rd nat. Birch. Ash. Hickory. Spruce &c.

East w/ Random Return Loc. 4 & 9-

40.00 Set g. Lee. post. (temp.)
 79.45 Intersect M. line 120 W. S. of post.
 Sand lent 3rd nat. Birch. Ash. Elm. P. ash. Spruce &c.

West Corner Return Loc. 4 & 9-

39.72 Set g. Lee. post at approx dist. from which
 a Maple 14 in. diam. bears N 81 E 18 W. dist. 9
 an Ash 10 " " " S 57 W 43 " "
 79.45 To Lee. Corner

North Return Loc. 4 & 5-

1.95 a Birch 22 in. diam.
 4.25 a Branch 6 W. wide Corn W.
 40.00 Set g. Lee. post from which
 a Sugar 18 in. diam. bears N 50 E 27 W. dist. 9
 a Birch 10 " " " N 80 W 27 " "
 42.00 a Sugar 30 " "
 59.70 Intersect M. Round. line 250 W. E. of post
 when set post cu. to Loc. 4 & 5 from which
 a Birch 18 in. diam. bears N 26 E 17 W. dist. 9

467

W. D. N. - W. R. & E. J. Mer. Indiana.

a Sugar 10 in. diam. bears S 72 W 15 W. dist.
Land lent 3rd rate. Buck. Ash. Sugar. Spice &c.

North Return Sect. 31 & 32

12.10 a W. Oak 12 in. diam.
40.00 Set g. Sec. post from which
a Walnut 9 in. diam. bears S 37 W 13 W. dist. 9
a Buckeye 7 " " " N 7 W 12 " "
45.20 a Cherry 9 " "
48.00 Buck Creek 48 W. side Cornu S. W.
80.00 Set post cor. to Sect. 29, 30, 31 & 32 from which
a Buck 20 in. diam. bears S 60 E 6 W. dist. 9
a Do 18 " " " N 82 W 31 " "
1st 1/2 mile land lent 1st rate. Last 1/2 rolling
3rd rate. Buck. Ash. Sugar. Spice &c.

East or Random Return Sect. 29 & 32.

40.00 Set g. Sec. post (temp.)
73.35 Buck Creek 45 W. side Cornu S. W.
75.00 a Branch 4 " " " S. W.
79.69 Entered Md. line 17 W. N. of post.
Land lent 3rd rate. Timber &c. same as before

West Corner Return Sect. 29 & 32 -

39.84 Set g. Sec. post at average dist. from which
an Elm 16 in. diam. bears N 78 W 28 W. dist. 9
a Buckeye 14 " " " N 75 E 20 " "
79.69 To Sec. Corner October 27th 1821 -

West Return Sect. 30 & 31

3.90 an Ash 33 in. diam.
21.20 a Stream 30 W. side Cornu S.
40.00 Set g. Sec. post from which
a Buck 18 in. diam. bears S 84 W 21 W. dist. 9
a Do 11 " " " S 67 E 16 " "
53.75 a R. Oak 15 " "

W. D. N. - R. & E. 9th Mer. Indiana.

86.33 Distance W. Bound. line 112 W. N. of post -
where set post cut to Sect. 30 & 31 from which
a Buck 16 in. diam. bears N 82 E 28 W. dist. 9
an Ash 12 " " " S 5 W 20 " "
Sand lent 2nd rate. Buck. Ash. Sugar. Spruce.

North Return Sect. 29 & 30 -

25.50 a Brook 10 W. wide corner S. W.

37.65 a W. Oak 54 in. diam.

40.00 Let g. Sec. post from which
a Buck 16 in. diam. bears S 41 E 10 W. dist. 9
a Buckeye " " " N 50 W 34 " "

71.65 a R. Oak 18 " "

80.00 Let post cut to Sect. 19. 20. 29 & 30 from which
a R. Oak 18 in. diam. bears S 50 E 17 W. dist. 17
a Sugar 12 " " " S 40 W 31 " "
Sand lent 3rd rate. Buck. Ash. Sugar W. Oak,
Spruce. Maple &c

East on Random Return Sect. 20 & 29 -

40.00 Let temp. g. Sec. post -

80.10 Distance W. line 30 W. N. of post -

Sand lent 2nd rate. Buck. Ash. Sugar. Spruce &c

West Corner Return Sect. 20 & 29 -

40.05 Let g. Sec. post at average dist. from which
a Sugar 30 in. diam. bears S 76 E 17 W. dist. 8
a Do 12 " " " S 82 W 13 " "

80.10 To Sec. Corner

West Return Sect. 19 & 30

2.35 a Buck 16 in. diam.

26.50 a Brook 6 W. wide corner S. W.

29.75 a Stream 20 " " " S.

40.00 Let g. Sec. post from which
a Hickory 9 in. diam. bears N 79 E 14 W. dist. 9

469

W. D. N. - W. R. & E. 2nd Mer. Indiana.

a Hickory 6 in. diam. near 416 W 2 W. dist.
 24.75 an Elm 40 " "
 85.91 Entered N. Bound. line 117 W. N. of post -
 when set post on. to Sec. 19 & 20 from which
 a Beech 15 in. diam. near 432 E 23 W. dist. &
 a Sugar 18 " " " 47 E 30 " "
 Land rolling 3rd rate. Beech. Ash. Sugar. Elm &c

North Return Sec. 19 & 20 -

2.90 a W. Oak 42 in. diam.
 40.00 Set g. Sec. post from which
 a W. Oak 48 in. diam. near 422 E 15 W. dist. &
 a Beech 16 " " " 43 E 18 " "
 41.50 a Sugar 24 " "
 80.00 Set post on. to Sec. 17-18. 19 & 20 from which
 a Beech 15 in. diam. near 430 W 45 W. dist. &
 a Do 8 " " " 47 E 15 " "
 Land level 3rd rate. Timber &c same as before

East or Random Return Sec. 17 & 20 -

40.00 Set temp. g. Sec. post -
 79.63 Entered W. line 5 W. N. of post -
 Land & Timber same as on the last line -

West Corner Return Sec. 17 & 20 -

39.81 Set g. Sec. post at angle dist. from which
 a Sugar 16 in. diam. near 421 E 3 W. dist. &
 a Beech 11 " " " 42 E 15 " "
 79.63 To Sec. Corner,

West Return Sec. 18 & 19 -

21.12 an Elm 36 in. diam.
 37.40 a Stream 60 W. wide course S.
 40.00 Set g. Sec. Post from which
 an Elm 16 in. diam. near 471 E 26 W. dist. &
 a Do 30 " " " 44 E 29 " "

W. D. N. R. & E. J. Mer. Indiana

61.00 an Elm 24 in. diam.
 85.87 Return at N. Round. line 175 W. S. of post.
 when set post Cu. to Sec. 18 & 19 from which
 a Buck 11 in. diam. was 188 E 18 W. dist. 9
 a Do 10 " " " 182 W 18 " "
 Land lent 1st rate. Buck. Ash. Sugar &c

North Return Sec. 17 & 18

15.10 a W. Oak 48 in. diam.
 40.00 Set g. Sec. post from which
 a Buck 20 in. diam. was 136 E 4 W. dist. 9
 a Do 16 " " " 115 W 38 " "
 52.66 a Do 12 " "
 80.00 Set post Cu. to Sec. 7, 8, 17 & 18 from which
 a Hackberry 10 in. diam. was 174 E 4 W. dist. 9
 a Buck 15 " " " 125 W 31 " "
 Land lent, 1st 1/2 mile 3rd rate. Last 1/2 do 2nd rate.
 Buck. Ash. Sugar. Hackberry Specie &c
 October 29th 1821-

East at Raudan Return Sec. 8 & 17.

40.00 Set temp. g. Sec. Post.
 80.30 Return at N. line 16 W. S. of post.
 Land lent 3rd rate. Buck. Ash. W. Oak. Spruce &c

West Corner Return Sec. 8 & 17.

40.15 Set g. Sec. post at amag. dir. from which
 a Buck 12 in. diam. was 161 E 35 W. dist. 9
 a Hackberry 10 " " " 172 W 19 " "
 80.30 To Sec. Corner.

West Return Sec. 7 & 18.

10.10 a Buck 12 W. side Corn. S. W.
 23.90 a Hickory 14 in. diam.
 40.00 Set g. Sec. post from which
 a Buck 14 in. diam. was 166 W 28 W. dist. 9

471

T. D. N. - R. & E. 9th Mer. Indiana.

a Buck 7 in. diam. - has N 70 E 21 W. dist.
 42.50 a Sugar 30 " " "
 69.90 a Stream 6 W. wide corner S.
 84.98 Enters N. Bound. line 283 N. of post
 where set post C. to Sec. 7 & 18 from which
 a Log 15 in. diam. - has N 46 W 3 W. dist. 9
 a Buck 8 " " " N 34 E 14 " "
 Land & Timber same as on the last line.

North Return Sec. 7 & 8 -

8.65 a Brook 12 W. wide corner S. W.
 13.65 a Sugar 12 in. diam.
 40.00 Set g. Sec. post from which
 a Buck 11 in. diam. - has N 74 E 15 W. dist. 9
 a Do 18 " " " N 37 W 14 " "
 42.95 an Elm 22 " "
 80.00 Set post C. to Sec. 5, 6, 7 & 8 from which
 a Buck 14 in. diam. - has N 62 W 23 W. dist. 9
 a Do 7 " " " N 8 E 10 " "
 Land level 2nd Nat. Buck. Ash. Sugar Spruce &

East or Random Return Sec. 5 & 8 -

40.00 Set temp. g. Sec. post
 66.50 a Brook 10 W. wide corner S. W.
 80.20 Enters N. line 26 W. N. of post
 Land & Timber same as on the last line -

West Corner Return Sec. 5 & 8 -

40.10 Set g. Sec. post at angle div. from which
 an Ash 10 in. diam. - has N 52 E 17 W. dist. 9
 a Water Buck 6 " " " S 4 W 8 " "
 80.20 To Sec. Corner.

West Return Sec. 6 & 7 -

24.06 a Buck 15 in. diam.
 40.00 Set g. Sec. post from which -

W. D. N. R. & E. I. Indiana

at Buckeye 20 in. diam. bears N 70 W 9 W. dist. 8
 at Buck 15 " " " 472 E 29 " "
 44.15 at Poplar 14 " "
 47.00 Cutw & Prain
 66.00 Lean the do
 84.50 Put over N. Bound. line 345 W. N. of post
 when set post came to Sect. 647 from which
 a Spruce 36 in. diam. bears S 5 E 31 W. dist. 9
 an Ash 3 " " " N 34 E 15 " "
 Sand bar 2nd rate. Buck. Ash. Sugar. Spruce &

North Return Sect. 576-

4.60 a Sugar 33 in. diam.
 40.00 Set g. Sec. post from which
 an Ash 14 in. diam. bears S 20 E 28 W. dist. 9
 a Do 12 " " " N 0 W 15 " "
 43.45 a Do 24 " "
 60.17 Put over N. Bound. line 146 W. E. of post.
 when set post came to Sect. 576 from which
 at Buck 10 in. diam. bears N 3 W 21 W. dist. 8
 an Ash 6 " " " S 31 W 3 " "
 Sand bar 3rd rate. Buck. Ash. Sugar. Spruce
 October 20th 1891 Surveyed by
 W. B. Bentley, Dep. Surveyor.

Sec 20 N. - R. 8 E. 9th Mer. Indiana ⁴⁷³

*I certify that the foregoing transcript of
the Field Notes of Township 20 North in
Range 8 East of the 9th Meridian in
Indiana, has been compared with the
original in this office, and found to
be correct.*

*Surveyor General's Office,
Washington Oct. 14th 1842*

*William Johnston
Sur. Genl.*